Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

REPUBLICA POPULARA ROMINA
INSTITUTUL POLITEHNIC TIMIŞOARA
ACADEMIA R.P.R.
BAZA DE CERCETĂRI STIINȚIFICE TIMISOARA
STAȚIA SEISMOLOGICĂ
TIMISOARA I. STR. VICENȚIU BABEŞ Nr. 8

OBSERVAȚII SEISMOMETRICE

IX

1958 I-XII

LITO. INST. MEDICINA TIMIŞOARA

Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

STATIA SEISMOLOGICA TIMISOARA

Long. 21°13,5' E Lat. 45°45' N Alt. 88 m

SUBSOLUL : aluviuni

APARATE : Seismografe orizontale de 540 kg cu înregistrare mecanică de viteză 30 mm pe minut.

1958, I A N U A R I E

		T	V	μ^2	r : T^2
CONSTANTE :	N	8.1	171	0,79	0,007
	E	8,1	168	0,79	0,009

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per s	Ampl. μ		Distanţa şi observaţii
1	2	N	e	02	10	39				
		N	e(Sn)	02	12	18				
		E	e(Sn)	02	12	21				
		N	e(S*)	02	12	52				
		E	e(S*)	02	12	55				
		E	e(Sg)	02	15	21				
		E	M	02	15	42		5,4	-22	
		N	M	02	15	48		6,5	-21	
		NE	F	02	32					
2	3	NE	Urme	07	11-20					Slab
3	4	NE	Urme	06	48	-				
				07	07					
4	4	N	e	17	15	29				
		E	e	17	15	31				
		E	e	17	15	54				
		N	e	17	15	56				In agitaţii microseismice
		E	e	17	16	00				
		NE	F	17	20					
5	5	NE	eP	11	40	50				
		NE	e(S)	11	48	50				58°=6.400 km
		N	M	12	03	47		7,1	+ 33	
		E	M	12	06	30		6,7	-23	
		NE	F	12	32					
6	9	NE	Urme	17	47	- 54				Foarte slab,în agit.microseism.

Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

STATIA TIMISOARA 1958, IANUARIE

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
7	10	N E	Urme	13	38 - 42				Foarte slab, în agitaţii micros.
8	13	N E	Urme	20	25 - 30				Foarte slab
9	14	N E	Urme	13	43 - 53				Slab, în agitaţii microseismice.
10	15	N E	e	19	30				Inceputul foarte slab.
		E	e	19	38	46			
		E	e	19	39	09			
		N	e	19	39	12			
		N	e	19	40	28			
		E	eL	20	04				
		N	eL	20	07				
		N E	F	20	37				
11	16	N E	ePn	04	20	02			
		N	eP*	04	20	19			$7^{o}1$ = 78o km
		E	ePg	04	20	36			
		N Ee	Sn	04	21	24		+	TURCIA
		E	eS*	04	21	58			
		E	M	04	23	21	6,8	-48	
		N	M	04	23	34	4,5	+48	
		N E	F	04	43				
12	18	E	e	11	00	31			
		N	e	11	01	45			In agit.microseis. foarte puternice.
		E	e	11	02	14			
		N	e	11	03	00			
		N E	F	11	10				
13	18	N E	Urme	18	54 - 57				Apropiat,în agit. micros.foarte puternice.
14	19	N	e	03	54	14			
		E	e	03	54	19			In agitaţii microseismice puternice.
		N	e	03	55	36			
		N E	F	04	03				
15	19	E	eP	14	21	00			In agit.microseism. foarte puternice.
		N	eP	14	21	01			
		E	i	14	22	16		-	
		E	e	14	25	00			
		N	e	14	25	11			
		E	e	14	31	42			$95^{o}3$ = 11.ooo km.
		N	eS	14	32	24			
		N	eL	14	50,5				ECUADOR
		E	M	15	06	10	18,0	-177	
		N E	F	16	00				

STATIA TIMISOARA 1958, IANUARIE

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
16	19	N E	Urme	14	51,7-56				Local,suprapus peste Nr.15
17	19	N E	Urme	18	10 - 16				Apropiat,în agit. micros.puternice.
18	23	N	e	13	40	04			
		E	e	13	40	05			
		E	e(S)	13	47	00			
		N	e(S)	13	47	01			
		N E	F	13	59				
19	24	N E	Urme	05	04 - 17				In agit.micros.
20	24	E	e	06	06,3				
		N	e	06	06,7				
		N	e	06	15	13			
		E	e	06	15,3				
		E	eL	06	40				
		N	eL	06	41,7				
		E	F	07	06				
		N	F	07	07				
21	24	N E	Urme	22	41 - 47				In agit.micros.
22	27	N E	Urme	08	02 - 10				In agit.micros.
23	30	N E	Urme	06	36 - 54				Slab, în agitaţii microseism.
24	30	N E	Urme	19	20 - 27				

I.Curea

O.Slimac

Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project. These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

1958, F E B R U A R I E

		T	V	ρ^2	r : T^2
CONSTANTE :	N	8,1	171	0,79	0,007
	E	8,1	168	0,79	0,009

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
25	1	N E	Urme	16	24-	33			In agitaţii microseism.foarte puternice
26	1	N E	Urme	18	16 -	24			In agit.microseismice foarte putern.
27	5	N E	ePn	22	54	01			
		N	iP*	22	54	03	-		
		E	iP*	22	54	04		+	
		E	ePg	22	54	07			89 km.
		N	iPg	22	54	08	-		
		N	eSn	22	54	11			
		E	eSn	22	54	13			
		N	eSg	22	54	16			
		E	eSg	22	54	18			
		N E	F	22	59				
28	7	N E	i	13	30	08	-	+	Local.Seism.?
		N E	i	13	30	12	+	-	
		N	i	13	30	16	-		
		E	e	13	30	17			
		N	e	13	30	20			
		N	i	13	30	24	-		
		N E	F	13	31				
29	7-8	N E	e	23	34	11			
		N E	e(L)	23	57				
		N E	F	00	27				
30	11	N E	i	06	17	06	-	+	Local.Seism.?
		N E	i	06	17	10	+	-	
		N E		06	17	15	-		
		N	i	06	17	19	+		
		E	e	06	17	20			
		E	i	06	17	22			
		N	i	06	17	23	+		
		N E	F	06	18				

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
31	14	E	e	14	03	28			
		N	i	14	03	29	-		Local
		N E	i	14	03	32	+	-	
		N	i	14	03	36	-		
		E	e	14	03	37			
		N	i	14	03	40	+		
		N	i	14	03	43	-		
		E	e	14	03	45			
		N E	F	14	05				
32	14	N	ePn	22	29	25			
		N	i	22	29	29	-		
		E	e	22	29	33			(89 km)
		N	i	22	29	41	-		
		N	eSn	22	29	43			
		E	iSn	22	29	45		+	
		E		22	33		5		Trenă de unde sinusoidale
		N	F	22	36				
		E	F	22	37				
33	15	N	eP	01	58	49			
		E	e(P)	01	58	51			78°=8.600 km.
		E	eS	02	08	46			
		N	eS	02	08	47			In agitaţii microseismice
		N E	F	02	50				
34	16	E	e	16	32	21			
		N	e	16	32	22			In agitaţii microseismice
		N	e	16	33	56			
		N	M	16	37	1o	4,8	+12	
		E	M	16	38	33	5,9	-9	
		N E	F	16	47				
35	17	N	eP	05	25	42			
		E	eP	05	25				
		E	e	05	26	28			38°=4.2oo km
		N	e	05	26	32			
		N	e	05	26	52			HINDU - KUSH
		E	e	05	28	16			
		E	eS	05	31	19			
		N	eS	05	31	20			
		N	esS	05	32	35			
		E	esS	05	32	37			
		E	e	05	34	19			
		N	e	05	34	43			
		N E	F	06	08				

Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project. These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

STATIA TIMISOARA — 1958 FEBRUARIE

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
36	22	N	eP	11	02	57			
		E	eP	11	02	58			83°8 = 9.300 km.
		N	ePP	11	06	02			
		E	eS	11	13	22			In agitaţii micros.
		N	eS	11	13	27			
		N E	F	11	58				
37	23	N E	Urme	09	24	-45			
38	24	N	eP	12	36	32			
		E	eP	12	36	34			
		N	e	12	54	58			
		E	e	12	55	00			
		E	M	12	55	11	6,3	-8	
		N	M	12	55	32	7,4	+7	
		N E	F	13	30				
39	25	N	e	15	57	33			
		E	e	15	57	54			Local
		N E	e	15	58	00			
		E	e	15	58	09			
		N	e	15	58	10			
		E	e	15	58	15			
		N	e	15	58	16			
		N E	F	16	01				
40	27-28	E	eP	23	40	24			
		N	eP	23	40	27			79° = 8.700 km.
		N	e(PP)	23	43	12			In agitaţii micro-
		N	eS	23	50	26			seismice
		N E	F	00	44				

I.Curea
O.Slimac

STATIA TIMISOARA — 1958, MARTIE

1958, M A R T I E

		T	V	μ^2	$r : T^2$
CONSTANTE :	N	8,1	171	0,79	0,007
	E	8,1	168	0,79	0,009

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
41	3	N	Urme	16	30	-42			In agitaţii micro-
		E	e(P)	16	30	22			seismice
		E	e(S)	16	40	20			
		E	e(L)	17	05				
		E	F	17	17				
42	4	E	e	09	03	16			Local. Seism.?
		N	e	09	03	17			
		N E	e	09	03	29			
		N E	F	09	04				
43	11	E	eP	00	38	31			La N lipseşte mar-
		E	eS	00	48	41			carea timpului
									80°4 = 8.950 km.
44	15	N	ePn	06	28	41			
		E	eP*	06	28	46			
		E	ePg	06	29	03			
		E	eSn	06	29	46			5°6 = 630 km.
		N	eSn	06	29	48			
		N	M	06	31	38	5,4	-70	GRANITA ALBANIA_
		E	M	06	31	54	6,3	+36	GRECIA
		N	M	06	32	32	4,0	+56	
		N E	F	06	50				
45	18	N E	Urme	14	22	-30			
46	19	N E	ePn	16	05	29			
		E	eSn	16	06	31			4°8 = 550 km.
		N	eSn	16	06	33			
		E	eL	16	07				GRANITA AUSTRIA_
		N E	F	16	18				IUGOSLAVIA
47	20	E	eP	01	50	37			
		N	eP	01	50	40			86° = 9.550 km.
		E	eS	02	01	10			
		N	eS	02	01	15			
		N E	F	02	51				

Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project. These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

STATIA TIMISOARA 1958, MARTIE

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
48	22	N E	Urme	1o	22	-35			Slab, în agitaţii puternice
49	22	N E	Urme	11	20	-			
				12	02				
50	28	E	eP	12	13	29			
		N	eP	12	13	31			
		N	e	12	22	48			
		E	e	12	22	50			
		N E	F	12	44				
51	29	N E	Urme	03	04	-16			
52	29	N E	Urme	07	22	-33			

I.Curea
O.Slimac

STATIA TIMISOARA - 9 - 1958 APRILIE

1958, A P R I L I E

		T	V	μ^2	$r : T^2$
CONSTANTE :	N	8,1	171	o,79	o,oo7
	E	8,1	168	o,79	o,oo9

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ		Distanţa şi observaţii
53	3	N E	ePn	o2	24	oo				
		E	eP*	o2	24	o8				
		N	eP*	o2	24	o9				
		E	ePg	o2	24	16				
		N	ePg	o2	24	19				
		N E	eSn	o2	24	54				$4^{o}8$ = 53o km
		E	eS*	o2	25	o8				ALBANIA
		N	eS*	o2	25	11				
		E	eSg	o2	25	18				
		N	M	o2	27	5o	4,1	-333		
		E	M	o2	27	51	5,1	+2o9		
		N E	F	o2	53					
54	3	E	e	o7	21	54				
		N	e	o7	21	56				
		N	M	o7	26	43	9,o	+29		
		E	M	o7	26	53	8,9		-2o	
		N E	F	o8	11					
55	4	N	e	o4	o5	46				
		E	e	o4	o5	52				
		N E	e	o4	o7	o2				
		N	M	o4	o8	27	5,o	-9		
		N E	F	o4	16					
56	4	E	e	o9	2o	32				
		N	e	o9	21	12				Replica nr.52
		E	e	o9	21	29				
		N	e	o9	22	31				
		N E	F	1o	32					
57	7	E	e	15	42	oo				
		N	e	15	42	o1				
		N	ePP	15	44	26				
		E	eS	15	5o	52				ALASCA
		N	eS	15	5o	54				
		E	e	16	oo	18				
		N	e	16	o1	21				
		E	M	16	26	21	13,4	+52		
		N	M	16	28	34	14,1	+5o		
		N E	F	17	21					

Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project. These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

STATIA TIMISOARA — 1958, APRILIE

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
58	7	N	eP	18	17	31			
		E	eP	18	17	32			
		N	eS	18	27	42			80°,8 = 8.900
		E	eS	18	27	44			
		N E	eL	18	50				JAPONIA
		E	M	18	57	24	13,5	-66	
		N	M	19	03	36	13,5	+39	
		N E	F						F în inceputul cutremurului următor
59	7	N E	eP	19	22	41			
		N	eS	19	30	03			
		E	eS	19	30	07			
		N	eL	19	40				52° = 5.780 km.
		E	eL	19	41				
		N	M	19	43	41	6,0	-50	MONGOLIA
		N	M	19	45	11	7,5	-81	
		E	M	19	45	11	7,3	-52	
		N E	F	20	34				
60	8	N E	Urme	01	19 - 44				Foarte slab
61	8	N E	Urme	10	20 - 39				Foarte slab
62	9	N E	Urme	04 05	42 - 07				Slab
63	10	N E	Urme	11	22 - 36				Slab
64	11	N E	e	01	10	36			
		N	e	01	20	44			
		E	e	01	21	41			
		N E	F	02	08				
65	11	N	eP	23	23	20			
		E	eP	23	23	22			75° = 8.300 km.
		N	eS	23	33	00			
		N	e(PS)	23	33	27			
		E	e(PS)	23	33	28			
		N E	F	23	59				
66	12	N E	Urme	12	31 - 59				Slab. Unde superficiale
67	12	N E	Urme	13	36 - 55				

STATIA TIMISOARA — 1958, APRILIE

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
68	13	N	eP	12	41	00			
		E	eP	12	41	02			
		N	e	12	50	42			
		E	e	12	50	43			
		E	eL	13	09				
		N	eL	13	14				
		E	M	13	18	39	14,5	-43	
		N	M	13	19	06	17,0	+49	
		N E	F	13	43				
69	14	E	eP	21	46	10			
		N	eP	21	46	19			
		N	e(PP)	21	50	08			
		E	eSKS	21	56	46			97°,6=10.850 km.
		N	e(S)	21	57	44			
		E	eS	21	57	50			
		E	ePS	21	59	05			
		N E	F	23	01				
70	15	N E	Urme	01 02	54- 31				La N foarte slab
71	15	N E	Urme	04 05	10- 07				La N foarte slab
72	21	N E	Urme	20	34 - 46				
73	21	E	e	22	50	17			
		N	e	22	50	18			
		E	eSKS	23	00	23			
		N	eSKS	23	00	26			88°=9.800 km.
		E	eS	23	00	42			
		N	eS	23	00	43			
		N	F	23	20				
		E	F	23	23				
74	22	E	e	10	08	49			
		N	e	10	08	51			
		N	e	10	10	02			
		E	e	10	10	03'			
		N E	F	10	19				
75	23	N E	eP	03	10				
		N E	eL	03	12				In agitaţii microseismice
		N E	F	03	59				
76	24	N E	Urme	13	30-37				Slab. In agitaţii microseismice

Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

Nr.	Data	Faza	Comp.	T, h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
77	26	N	e	09	40	48			
		N	e	09	41	12			Comp.E n-a funcţionat
		N	e	09	41	40			
			F	09	45				
78	28	N	Urme	12	13 - 29				Foarte slab
79	30	N E	Urme	02	55-				
				03	01				
80	30	N E	Urme	14	13 - 31				

I.Curea
O.Slimac

1958, M A I

	T	V	μ^2	$r : T^2$
CONSTANTE : N	8,1	171	0,79	0,007
E	8,1	168	0,79	0,009

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ		Distanţa şi observaţii
81	1	N	eP	00	48	21				
		E	eP	00	48	23				
		E	e	00	52	02				
		N	e	00	52	03				
		N	e	00	52	22				
		N E	F	01	59					
82	1	N E	Urme	16	05 - 12					Local.
83	1	E	ePn	21	16	59				
		N	ePn	21	17	00				
		N	ePg	21	17	14				
		N	e	21	17	37				
		E	eSn	21	17	43				$3^{\circ}6$ = 400 km.
		N	eSg	21	18	00				
		E	eSg	21	18	02				
		N	M	21	19	44	5,6	+17		
		N E	F	21	30					
84	3	N	ePn	20	20	59				
		E	ePn	20	21	00				
		E	eSn	20	22	40				
		N	eSn	20	22	46				$9^{\circ}3$ = 1.030 km.
		N	e	20	23	12				
		E	eS	20	23	21				
		E	e	20	23	31				
		E	eSg	20	23	42				
		E	M	20	24	41	6,0	+12		
		N		20	25	56	6,0	+29		
		N E	F	20	42					
85	4	N E	Urme	10	58-					Slab
				11	07					
86	5	N	e	05	27	01				
		E	e	05	27	19				
		N	e	(05	30	06)				
		E	eS	(05	30	10)				
		N E	F	05	46					

Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project. These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
87	5	E	eP	(06	41	17)			
		N	eP	(06	41	19)			(56°=6.200 km.)
		N	eS	(06	49	08)			
		N E	F	07	12				
88	6	N E	Urme	04	25 -	44			Slab
89	8	N E	Urme	13	04 -	19			In agitaţii microseismice
90	9	E	e	(02	43	31)			
		N	e	(02	43	37)			
		E	e	(02	45	26)			
		N	e	(02	46	46)			
		E	M	02	47	48	9,2	-54	
		N	M	02	48	04	6,2	+37	
		N E	F	03	05				
91	15	N E	Urme	14	49-				
				15	03				
92	17	N E	Urme	21	02 -	15			
93	18	N E	Urme	02	52-				
				03	10				
94	18	N E	Urme	12	39 -	56			
95	19	N E	Urme	18	21 -	30			Slab
96	21	N E	Urme	10	17 -	28			
97	25	N E	Urme	21	35 -	47			
98	27	N E	Urme	18	30 -	46			
99	29	N E	Urme	08	46 -	56			
100	30	E	e	03	17	31			
		N	e	03	17	32			
		E	e	03	17	37			
		E	e	03	17	48			
		E	e	03	17	58			
		N	e	03	18	00			
		E	e	03	18	34			
		N E	F	03	27				

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
101	30	N E	Urme	13	41 -	54			
102	30	N E	Urme	18	18 -	25			
103	31	N E	Urme	03	55-				
				04	05				
104	31	E	e	19	52	08			
		N	e	19	52	11			
		N	e	19	55,3				
		E	e(PP)	19	55	45			
		E	e(SKKS)	20	02	40			
		N E	F	21	20				

I.Curea

O.Slimac

Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project. These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

1958, I U N I E

		T	V	μ^2	r : T^2
CONSTANTE :	N	8,1	171	0,79	0,007
	E	8,1	168	0,79	0,009

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
105	3	N E	Urme	19	54				
				20	21				
106	4	N	eP	14	42	14			
		E	eP	14	42	18			
		E	eS	14	52	32			($81^{o}5$ = 9.100 km)
		N	eS	14	52	33			
		N E	eL	15	19				
		N E	F	15	46				
107	5	E	ePn	(13	32	08)			
		N	ePn	(13	32	17)			
		E	eSn	13	33	43			
		N	eSn	13	33	45			Inceputul foarte slab
		N	eS*	13	34	18			$8^{o}8$ = 1.000 km.
		E	eS*	13	34	22			
		N	eL	13	34	35			
		E	eSg	13	34	43			
		N	M	13	35	37	5,7	-19	
		E	M	13	38	03	5,2	-17	
		N E	F	13	54				
108	6	E	eP	09	25	01			
		N	eP	(09	25	11)			
		E	eSKS	09	35	31			$92^{o}4$ = 10.300 km
		E	eS	09	36	11			
		E	e(PS)	09	37	08			
		N E	F	10	21				
109	6	N E	Urme	19	34 - 51				
110	9	N E	Urme	18	48 - 53				Slab
111	10	N E	Urme	07	09 - 20				Slab

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
112	10	N	ePn	(08	29	57)			
		E	ePn	(08	30	00)			
		N	e	08	30	37			
		E	e	08	30	38			Inceputul foarte slab
		E	e(Sn)	08	31	08			
		N	e(Sn)	08	31	09			
		N	i	08	31	29		+	
		E	M	08	32	37	4,1	-12	
		N	M	08	33	01	10,2	-31	
		N E	F	08	44				
113	10	N E	Urme	15	57-				
				16	06				
114	12	N	eP	21	05	26			
		E	e	21	05	28			
		N	eS	21	15	43			$81^{o}7$ = 9.100 km.
		E	eS	21	15	45			
		E	e	21	17	12			
		N	e	21	17	14			
		N E	eL	21	41				
		N E	F	22	08				
115	15	E	eP	15	13	23			
		N	eP	15	13	27			
		E	e	15	22	55			
		N	e	15	22	37			
		N E	F	15	41				
116	18	N	Urme	01	20 - 45				E n-a funcţionat
117	19	N E	Urme	04	29-				
				06	20				
118	23	E	e	05	20	36			
		N	e	05	20	37			
		N E	F	06	02				
119	24	N E	Urme	04	56-				
				05	29				
120	24	E	e	06	09	09			
		N	e	06	09	13			
		E	e	06	10	11			
		N	e	06	10	23			
		E	M	06	12	36	6,0	424	VRANCEA ?
		N	M	06	13	28	6,3	+14	
		N E	F	06	29				

Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project. These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

STATIA TIMISOARA 1958, IUNIE

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi Observaţii
121	25	N E	Urme	07	23 -	29			
122	25	E	e(P'?)	09	56	17			
		N	e(P'?)	09	56	24			
		E	e	10	02	14			
		N E	e	10	07	27			
		N E	eL	10	37				
		N E	F	11	05				
123	26	N	eP	04	49	47			
		E	eP	04	49	52			
		E	e(S)	04	59	18			
		N	e(S)	04	59	21			
		N E	F	05	25				
124	30	E	ePn	08	45	12			
		N	ePn	08	45	14			$9^{0},4$ = 1.050 km.
		E	eSr	08	46	59			
		N	e	08	47	21			
		N E	eS*	08	47	39			
		N	M	08	49	12	4,1	+25	
		E	M	08	52	37	6,6	-18	
		N E	F	09	07				
125	30	N	eP	18	39	08			
		E	eP	18	39	11			
		E	eS	18	49	40			
		N	eS	(18	49	42)			
		N E	F	19	40				

I.Curea
O.Slimac

STATIA TIMISOARA 1958, IULIE

1958, I U L I E

		T	V	μ^2	r : T^2
CONSTANTE :	N	8,1	171	0,79	0,007
	E	8,1	168	0,79	0,009

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
126	3	N E	Urme	05	56-				
				06	19				
127	3	N E	Urme	06	47-				
				07	03				
128	4	N E	Urme	18	52-				
				19	11				
129	7	E	e	13	59	08			
		N	e	13	59	23			
		E	e	13	59	24			
		N	e	13	59	32			
		N E	F	14	10				
130	8	E	e	05	04	42			
		N	e	05	06	12			
		N	e	05	07	13			
		E	e	05	07	15			
		N	e	05	08	35			
		N E	F	05	20				
131	8	N E	Urme	23	01	-09			Foarte slab
132	10	N	eP	(06	28	40)			
		E	eP	06	28	42			
		E	e(PP)	06	30	19			
		N	e(PP)	(06	30	20)			
		N	eS	(06	37	13)			74^{0} = 8.200 km.
		E	eS	06	37	17			
		N E	eL	06	54				

Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project. These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
132	1o	E	M	07	01	46	13,2	-332	
		E	M	07	02	52	17,3	-607	
		N	M	(07	07	35)	12,0	-208	
		N	M	(07	12	30)	18,0	-362	
		N E	F	10	03				
133	11	N E	Urme	19	29 - 41				
134	13	N E	Urme	20	51 - 58				
135	15	N	e	08	03	13			
		E	e	08	03	36			
		E	e	08	05	31			
		N	e	08	o5	37			
		N	e	08	06	22			
		N	e	08	07	00			
		N E	F	08	19				
136	16	N	e	20	30	40			
		E	e(Pn)(	20	31	09)			
		N	e(Pn)	20	31	12			
		N	e(S*)	20	32	02			
		E	e(Sg)	20	32	04			
		N	e(Sg)	20	32	06			
		N E	F	20	42				
137	17	E	ePn	05	38	39			
		N	ePn	05	38	40			
		N E	eP*	05	39				
		N	e(Pg)	05	39	01			
		E	ePg	05	39	04			
		N	eSn	05	39	39			
		E	eSn	05	39	41			
		N	eS*	05	39	56			
		E	eS*	05	39	58			
		E	eSg	05	40	08			
		N	eSg	05	40	13			
		E	M	05	41	13	6,6	-117	
		N	M	05	41	19	6,8	+117	
		N	M	05	44	16	5,6	+155	
		E	M	05	44	16	5,7	-159	
		N E	F	06	10				
138	17	N E	Urme	06	23 - 30				
139	17	N E	Urme	06	33 - 42				
140	17	N E	Urme	21	17-				
				22	02				

P* în intervalul de minută

$5^{o},3$ = 600 km.

GRECIA

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
141	18	N E	Urme	oo	52-				
				o2	o2				
142	19	N E	Urme	o6	49-				Slab
				o7	31				
143	19	N E	Urme	18	35-				
				19	48				
144	2o	N E	Urme	19	36-4o				
145	21	N E	Urme	o7	37 -57				
146	21	N E	Urme	14	5o-				
				15	37				
147	23	E	e	1o	4o	2o			
		N	e	1o	4o	23			
		E	eS	1o	5o	34			
		N	es	1o	5o	35			
		N E	F	1o	56				
148	26	N E	Urme	o6	27	-51			
149	26	N	E eP	17	18	o1			
		E	e	17	54	17			
		N	e	17	54	25			
		E	e	17	59	2o			
		N	e(s)	18	oo	3o			
		E	F	19	34				
		N	F	19	35				
15o	27	N	E Urme	17	31	-4o			Foarte slab
151	29	N	E Urme	21	47-				Slab
				22	25				
152	3o	N	E Urme	o2	59-				Slab
				o3	4o				

I.Curea
O.Slimac

Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project. These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

1958, A U G U S T

		T	V	ρ^2	r : T^2
CONSTANTE :	N	8,1	171	0,79	0,007
	E	8,1	168	0,79	0,009

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. ρ	Distanţa şi observaţii
153	1	N E	Urme	05	56-				Slab
				06	08				
154	3	N E	Urme	01	25	-55			Slab
155	4	N E	Urme	04	32	-53			
156	4	N E	Urme	06	32	- 42			Cutremur apropiat.
157	6	N E	eP'	21	29	05			
		N E	F	21	45				
158	9	N E	ePn	09	35	17			
		N(E)	eP*	09	35	21			
		N	ePg	09	35	27			
		N	eSn	09	35	53			
		E	eSn	09	35	54			$3^{o}2$ = 350 km.
		N	iS*	09	36	01		+	
		E	iS*	09	36	03		+	
		N	e	09	36	10			
		E	e	09	36	11			
		N	M	09	37	08	5,9	-22	
		E	M	09	39	06	6,4	-13	
		N E	F	09	51				
159	10	N	e	12	38	13			
		E	e	12	38	34			
		E	e	12	39	12			
		N	e	12	39	17			
		N E	F	12	50				
160	12	N	Urme	19	39-				Comp.E n-a funcţionat
				20	15				
161	13	N E	Urme	07	48-				
				08	08				
162	13	N E	Urme	20	35	- 44			

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. ρ	Distanţa şi observaţii
163	14	E	eP	11	32	14			
		E	ePP	11	32	40			
		N	e(PP)	11	32	41			
		N E	eS	11	36	27			$23^{o}8$ = 2.640 km.
		E	e	11	43	13			
		N	e	11	43	16			IRAN
		N	M	11	45	05	5,9	+5	
		E	M	11	45	05	6,9	+7	
		N E	F	12	01				
164	14	N	eP	15	07	40			
		E	e(P)	15	07	41			82^{o} = 9.100 km.
		E	eS	15	17	57			
		N	eS	15	17	58			
									F după începutul cutremurului următor
165	14	N	eP	15	31	34			
		E	eP	15	31	35			
		E	eS	15	35	49			$24^{o}4$ = 2.700 km.
		N	eS	15	35	56			
		N E	F	16	02				
166	15	N	eP	20	07	24			
		E	eP	20	07	26			
		E	e(PP)	20	10	07			
		N	eS	20	17	02			$74^{o}7$ = 8.300 km.
		E	ePS	20	17	29			
		N	ePS	20	17	31			KAMCIATKA
		N E	eL	20	35				
		N E	F	21	09				
167	15-	N	eP	23	42	41			
	16	E	eP	23	42	42			$98^{o}5$ = 10.950 km.
		N	ePP	23	46	47			
		E	ePP	23	46	49			INSULA CELEBES
		E	eSKS	(23	52	56)			h=200 km.(USCGS)
		N	eSKS	23	52	57			
		N E	F	00	59				
168	16	N E	Urme	11	34	- 44			Foarte slab
169	16	N E	Urme	13	30-				
				14	22				
170	16	N E	Urme	17	14	- 34			Slab

Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project. These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

STATIA TIMISOARA 1958, AUGUST

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
171	16	N	eP	19	18	58			
		E	eP	19	18	59			
		N	e	19	19	49			
		E	eS	19	23	o3			
		N	eS	19	23	o6			
		N	e	19	23	15			
		E	eSS	19	23	42			23° = 2.55o km.
		N	eSS	19	23	45			
		N	eL	19	26	31			IRAN
		N	M	19	28	2o	8,4	+6o	
		E	M	19	29	o9	6,7	-1o2	Replica 164
		N	M	19	31	16	6,1	-82	
		E	M	19	31	54	7,2	- 95	
		N E	F	2o	2o				
172	17	N E	Urme	18	23-				
				19	2o				
173	17	N E	Urme	21	31-	45			Foarte slab
174	18-19	N E	Urme	23	56-				
				oo	o9				
175	2o	N	Urme	o3	59-				
				o4	23				
		E	e	o3	59				
		E	e(S)	o4	o7	42			
		E	F						
176	21	N E	Urme	o1	29 -	4o			Slab
177	21	N	eP	21	18	36			
		E	e	21	18	37			
		E	e	21	2o	38			
		N	e	21	2o	45			
		N E	F	21	4o				
178	26	N E	Urme	21	5o-				
				22	o1				
179	27	N	ePn	15	18	37			
		E	ePn	15	18	4o			
		N	e(Sn)	(15	2o	o8)			(8°,5 = 95o km)
		E	e(Sn)	15	2o	12			
		N	e(S*)	(15	2o	43)			Inceputul foarte slab
		N	e	15	21	11			
		N	M	15	21	35	8,o	+572	
		N	M	15	23	3o	7,o	+344	
									F în inceputul cutrem.următor

STATIA TIMISOARA 1958, AUGUST

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
180	27	N E	Urme	16	07 -	16			
181	27	N E	Urme	17	12 -	20			Foarte slab
182	28	N E	Urme	16	38 -	47			
183	30	N	eP	07	38	27			
		E	e	07	40	47			
		N	e	07	40	48			
		N	M	07	42	11	5,9	-10	
		E	M	07	44	50	6,0	-11	
		N E	F	18	00				
184	31	N E	Urme	23	11 -	34			Slab

I. Curea

O. Slimac

Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project. These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

1958, S E P T E M B R I E

		T	V	μ^2	r : T^2
CONSTANTE :	N	8,1	171	0,79	0,007
	E	8,1	168	0,79	0,009

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
185	1	N E	Urme	14	22	-31			Slab
186	2	N E	ePn	01	15	44			
		E	e(Sn)	01	17	13			
		N	e(Sn)	01	17	16			
		E	eS*	01	17	34			
		E	e(Sg)	01	18	08			
		N	M	(01	19	11)	6,6	-62	
		E	M	(01	19	54)	7,0	-53	
		N	M	01	21	02	6,6	+45	
		E	M	01	22	48	5,4	-71	
		N E	F	01	43				
187	2	N E	Urme	02	09	- 20			
188	2	N E	Urme	13	14	- 32			
189	2	N E	Urme	04	45	-			
				05	05				
190	3	N E	Urme	01	40	- 56			Slab
191	3	N E	Urme	03	03	- 15			
192	3	E	eP	03	54	15			$57^{0}7$=6.400 km.
		N	eP	03	54	17			
		N	e(PP)	(03	56	22)			
		E	eS	04	02	13			
		N	eS	04	02	14			
		N E	F	04	47				
193	3	N E	Urme	08	23	-			
				09	10				
194	4	N E	e	00	07				
		N	e	00	08	19			
		E	e	00	08	21			
		N	M	00	11	41	6,1	-15	
		E	M	00	12	12	6,1	-6	
		N E	F	00	23				

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
195	4	N E	Urme	02	54	-			
				03	05				
196	4	N E	Urme	03	51	- 59			
197	4	N E	e	22	11				Inceputul slab
		N E	eL	22	50				Foarte îndepărtat
		N E	F	23	20				
198	5	N E	Urme	07	13	- 20			Slab, Cutremur local.
199	8	N	eP	05	37	23			
		E	eP	05	37	27			In agitaţii microseismice
		N	e(S)	05	47	04			
		N E	F	06	20				
200	12	N E	Urme	21	25	- 37			
201	14	N	eP	14	31	37			
		E	eP	14	31	39			
		E	e(PP)	14	33	16			58^{0} = 6.450 km.
		E	eS	14	39	42			
		E	e(L)	14	51	09			In agitaţii microseismice
		N	e(L)	14	51	10			
		N	M	14	53	20	7,4	-29	SIBERIA
		E	M	14	54	10	7,5	+25	
		N	M	14	54	30	6,0	-19	
		E	M	15	01	27	7,1	+30	
		N E	F	15	22				
202	14	N E	Urme	21	47	- 56			In agitaţii microseismice
203	15	N E	e	20	01				
		E	e	20	04	10			
		N	eS	20	07	36			
		E	eS	20	07	38			
		N E	F	20	32				
204		N E	Urme	04	14	- 27			
205	16	N	e	05	45	36			
		E	e	05	45				
		E	e	05	46	21			
		N	e	05	47	06			
		N E	F	05	54				
206	16	E	eP	11	00	26			
		N	eP	11	00	33			
		N E	F	11	14				

Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project. These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

1958, N O I E M B R I E

		T	V	ρ^2	r : T^2
CONSTANTE:	N	8,1	171	0,79	0,007
	E	8,1	168	0,79	0,009

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. ρ	Distanţa şi observaţii
230	1	N E	Urme	03	58-				Slab, în agitaţii microseismice
				04	21				
231	1	N E	Urme	12	38	-46			Slab, în agitaţii microseismice
232	4	N E	Urme	23	14	-23			Slab, în agitaţii microseismice
233	6-7	N	eP	23	10	11			
		E	eP	23	10	12			
		N	i	23	10	29		-	
		N	esPP	23	13	41			
		E	e(PPP)	23	14	45			75^0 = 8.300 km.
		N	ePPP	23	14	47			
		N	e(S)	23	19	34			INS.KURILE
		E	ipS	(23	20	02)		+	
		N	ipS	23	20	03		-	
			M	00	14	16	16,5	+210	
			M	00	20	56	22,0	-494	
		N E	F	03	10				
234	7	N	e(P)	01	55	07			In cutremurul nr.233
		E	e(P)	01	55	12			
		N	eS	02	05	08			
		E	eS	02	05	10			
235	7	N E	Urme	11	36	-46			Foarte slab, în agitaţii microseismice.
236	7	N E	Urme	18	23	-29			Foarte slab
237	7	N E	Urme	18	26	-30			Foarte slab.Local
238	8	N	eP	09	34	47			
		E	eP	09	34	49			
		E	e	09	35	43			
		E	e(S)	09	45	09			
		E	eL	10	07				
		N	eL	10	13				
		N E	F	10	27				
239	11	N E	Urme	04	40	-46			Foarte slab.Apropiat

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. ρ	Distanţa şi observaţii
240	12	N E	eP	20	35	38			
		N	eS	20	45	33			
		E	eS	20	45	36			78^0 = 8.700 km.
		N E	eL	21	02				
		E	M	21	07	42	19,3	-324	INS.KURILE
		N	M	21	09	05	14,9	+152	
		E	M	21	12	55	15,4	+257	
		N	M	21	14	11	15,2	-235	
		N E	F	22	20				
241	14	N E	Urme	14	06	-31			
242	15	N	e(Pn)	05	44	43			
		E	e	05	45				
		N	e(Sn)	05	46	25			
		E	e(Sn)	05	46	26			
		E	e(L)	05	47	03			
		N	M	05	49	58	4,4	+19	
		E	M	05	52	04	3,1	-24	
		N E	M	06	10				
243	15	N E	e	09	13				In intervalul de minută
		N E	eS	09	23				
		N E	F	09	37				
244	19	N	eP	09	36	08			
		E	eP	09	36,2				In agit.microseism.
		N	eS	09	46	13			Inceputul slab
		N E	F	10	21				
245	20	N E	Urme	05	48-				In agitaţii microseismice
				06	37				
246	20	N E	Urme	14	30	36			Slab.In agitaţii microseismice.
247	23	N E	e	13	10				Local
		E	e	13	12	17			
		N	e	13	12	18			In agitaţii microseismice
		N	e	13	13	36			
		N E	F	13	23				
248	30	N E	Urme	01	46-				Slab, în agitaţii microseismice
				02	04				

I.Curea

O.Slimac

Documentation preserved at the National Institute for Earth Physics - Bucarest. NIEP c/o Seismological station of Timisoara, reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome),in the frame of the EUROSEISMOS project. These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

STATIA TIMISOARA 1958, DECEMBRIE

1958, D E C E M B R I E

		T	V	μ^2	r : T^2
CONSTANTE :	N	8,1	171	0,79	0,007
	E	8,1	168	0,79	0,009

Nr.	Data	Comp.	Faza	T. h	C. m	G. s	Per. s	Ampl. μ	Distanţa şi observaţii
249	8	N E	Urme	12	20 - 32				Foarte slab, în agit.microseism.
250	9	N E	Urme	20	44-				In agitaţii microseismice
				21	04				
251	10	N E	Urme	03	51-				Slab, în agitaţii microseismice
				04	05				
252	10	N E	e	07	22,7				
		N E	F	08	00				
253	13	N E	e	22	36				
		N E	e	22	37	22			In agitaţii microseismice
		N E	F	22	50				
254	19	N	e	03	31	38			
		E	e	03	31				
		E	e	03	33	05			In agitaţii microseismice
		N	e	03	30	15			
		N	M	03	34	27	4,9	+17	
		N E	F	03	47				
255	19	N E	Urme	17	28	-36			In agitaţii microseismice
256	21	N E	eP	05	54	20			
		N	eS	(06	00	38)			
		E	eS	(06	00	42)			
		E	e	06	03	57			42° = 4.670 km.
		N	e	06	04	57			
		N	M	(06	09	17)	8,0	-32	
		E	M	06	13	23	7,7	+35	
		N E	F	06	53				
257	25	N E	Urme	08	26	-48			Slab, în agitaţii microseismice
258	28	N E	eP	05	43	22			
		E	e(PP)	05	45	17			$48^{\circ}8$ = 5.400 km.
		E	eS	05	50	24			
		N	e(ScS)	05	53	13			In agitaţii microseismice.
		N E	F	06	27				

I.Curea
O.Slimac